



Face Masks Bulletin Update

April 20, 2020

Air freight demand to ship PPE products has increased exponentially since the start of the stay-at-home orders and face covering requirements being announced across the United States. Air freight costs have basically tripled with increases coming every week. As a result, new pricing effective today for all face mask orders is updated below. This product is available through DHG's operating divisions.

Surgical Style Level 1 Protection Masks **Item # MSK-1000**

Case pack: 1000 masks per case: 20 inner boxes with 50 ct. masks each.

Minimum order: 5 cases, 50% prepay with order submission, balance due upon shipment.

Leadtime: 2-3 weeks from receipt of prepayment. Leadtime may be longer for larger orders.

Cost per mask/case: \$0.45 each/\$450.00 per case FOB Chino, CA. Delivered costs will depend on order quantity and delivery zip code.

Case dimensions: 21" x 8" x 14" 60 cases on a pallet

Case weight: 10.6 lbs.

NOTE: No returns on this product – all sales final.

Full container loads available – approx. 1760 cases per container. Leadtime 6 weeks. Ask us for delivered pricing based on zip code.

See following product pictures and spec sheet. NOTE: Inner box artwork may vary slightly from picture below.


Disposable 3-PLY Face Mask With Ear-Loop



T/CTCA7-2019
Ordinary protective mask

Effective Blocking
Pollen
Smog
Droplet
Dust

Brief Introduction



Premium Material 3-Layer Protection



Product Information

Specification	
Length	175 ± 5 mm
Width	95 ± 5 mm
Nose Bridge	≥ 80 mm
Weight	3.0 ± 0.5 g
Color	Blue, white, as request

Package	
Inner Poly bag	10
Innerbox	50
Outer carton	2000



Matters needing attention

- 1. Please use as soon as possible after opening.
- 2. Do not use if it's outdated or contaminated.
- 3. Can not be used as a gas mask.
- 4. Please do not put used masks back to the packaging.
- 5. This product is disposable please do not reuse.
- 6. Should not be worn during sleep.
- 7. Stop using when dizziness or discomfort occurs.
- 8. For the best protection, wear it in the right way.

NOTE: Package artwork may vary slightly from above.

NOTE: No returns on this product – all sales final.

Mask material		
Item	Data	Color
Filter layer-white meltblown	175mm/25g	Natural color
Ear rope	Nylon + Spandex	White
Bridge of nose	Iron + other	Natural color
Outer layer: SS non-woven fabric	175mm/25g	Blue
Inner layer: SS non-woven fabric	195mm/25g	White
ASTM PERFORMANCE	LEVEL 1	
CE testing standards	EN149	
Low Fluid Resistance:	80mmHg	
Filtration Efficiency:	BFE ≥95%	
	PFE ≥95%@0.1 micron	
Breathability-Delta P:	<4.0 mm H ₂ O/cm ²	
Flame Spread:	Class 1	
Inspection Standard: T/CTCA 7-2019		
Test items	Testing requirements	
Formaldehyde content / (mg/kg)	≤20	
pH value	4.0~7.5	
Ethylene oxide residue/ (μg/g)	≤10	
Bacterial filtration efficiency (BFE)/%	≥95	
Particulate matter filtration efficiency (PFE)/%	≥80	
Ventilation resistance /Pa	≤80	
Breaking strength of the mask belt and the joint between the mask belt and the mask body /N	≥10	
Microbial index:	Coliform: Not allowed to be detected	
	Pathogenic pyogenic bacteria: Not allowed to be detected	
	Total fungal colonies: ≤100 (CFU/g)	
	Total bacterial colonies: ≤200 (CFU/g)	
Field of view under the mask	≥60°	